3.6.2.5 Suspending Operations



YOUR ORGANIZATION STANDARD OPERATING PROCEDURES/GUIDELINES

TITLE: Suspending Operations	SECTION/TOPIC: Disaster Operations and Risk
	Management
NUMBER: 3.6.2.5	ISSUE DATE:
	REVISED DATE:
PREPARED BY:	APPROVED BY:
X	X
Preparer	Approver
These SOPs/SOG	Gs are based on FEMA guidelines FA-197

1.0 POLICY REFERENCE

CFR	
NFPA	
NIMS	

2.0 PURPOSE

This standard operating procedure/guideline addresses designation of conditions in which personnel and apparatus are to remain in/ return to quarters or other safe location; may include notification of the EOC and the pubic of operational status.

3.0 SCOPE

This SOP/SOG pertains to all personnel in this organization.

4.0 DEFINITIONS

These definitions are pertinent to this SOP/SOG.

5.0 PROCEDURES/GUIDELINES & INFORMATION

5.1 <u>Designation of Conditions in which Personnel and Apparatus are to remain in/return to Quarters or other Safe Location:</u>

CITY FIRE DEPARTMENT
STANDARD OPERATING PROCEDURE/GUIDELINE
DISASTER OPERATIONS & RISK MANAGEMENT – 3.6.2.5 SUSPENDING OPERATIONS
DATE APPROVED
PAGE 2 of 2

Recovery and Restoration

The recovery and restoration phase begins after the last living patients have been transported from the scene. During this phase, it is expected that Federal response elements will arrive with specialized teams and equipment. Federal resources will support hazard monitoring, technical (equipment) and environmental decontamination, and site restoration.

Technical Decon of Response Personnel/Equipment and Shutdown

- I. Hazmat personnel continue to perform and/or supervise the technical personnel decon corridor.
- II. Hazmat personnel will establish and operate an equipment decontamination corridor to support restoration of equipment needed to re-establish essential services.
- III. Hazmat personnel will shut down the emergency decon operation and technical decon corridors as they complete operation.
 - Hazmat personnel will find/document uncontained runoff problems from decon corridors.
 - Equipment and protocol for personnel and equipment decontamination are described in M.P. xx.

5.2 Notification of the EOC of Operational Status:

5.3 Notification of the Public of Operational Status: